L Number	Hits	Search Text	DB	Time stamp
-	83605	bus adj3 (interfac\$3 or controll?r\$1 or adapt?r\$1 or	USPAT;	2003/09/23
		control\$1 or controlling)	US-PGPUB;	08:57
			EPO; JPO;	
			DERWENT;	
	1		IBM_TDB	
_	200	"¡f"	USPAT;	2003/09/23
	200	1	US-PGPUB;	08:58
			EPO; JPO;	00.30
			DERWENT;	
			IBM_TDB	
	90E42	(hun adia (interfereta an especializata en ederetanta en	USPAT;	2003/09/23
-	89543	(bus adj3 (interfac\$3 or controll?r\$1 or adapt?r\$1 or	1	
		control\$1 or controlling)) or biu\$1 or bic\$1	US-PGPUB;	O8:58
ļ			EPO; JPO;	
			DERWENT;	
			IBW_TDB	
-	212	((bus adj3 (interfac\$3 or controll?r\$1 or adapt?r\$1	USPAT;	2003/09/23
		or control\$1 or controlling)) or biu\$1 or bic\$1) with	US-PGPUB;	08:58
		(point adj2 point)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	5	(((bus adj3 (interfac\$3 or controll?r\$1 or adapt?r\$1	USPAT;	2003/09/23
		or control\$1 or controlling)) or biu\$1 or bic\$1) with	US-PGPUB;	09:03
		(point adj2 point)) with (unidirection\$5 or uni adj2	EPO; JPO;	
		direction\$5)	DERWENT:	
		all ection 43)	IBM_TDB	
_	5	((((bus adj3 (interfac\$3 or controll?r\$1 or adapt?r\$1	USPAT;	2003/09/23
-	3	· · · · · · · · · · · · · · · · · · ·	US-PGPUB;	09:05
		or control\$1 or controlling)) or biu\$1 or bic\$1) with		09.05
		(point adj2 point)) with (unidirection\$5 or uni adj2	EPO; JPO;	
i		direction\$5)) and (@ad<20010430 or	DERWENT;	
		@prad<20010430 or @rlad<20010430 or	IBM_TDB	
		@pd<20010430 or @pt1d<20010430)		
-	427	(unidirection\$5 or uni adj2 direction\$5) with (point	USPAT;	2003/09/23
		adj2 point)	US-PGPUB;	09:54
			EPO; JPO;	
			DERWENT;	
			IBW_TDB	
-	141	((unidirection\$5 or uni adj2 direction\$5) with (point	USPAT;	2003/09/23
		adj2 point)) and (onchip\$5 or chip\$5)	US-PGPUB;	09:05
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	141	((unidirection\$5 or uni adj2 direction\$5) with (point	USPAT;	2003/09/23
	• ••	adj2 point)) and (onchip\$5 or chip\$5 or intrachip\$5)	US-PGPUB;	09:09
		and the factor of the factor o	EPO; JPO;	
			DERWENT;	
	121	((Consider a binds and a discount add to the last state of the las	IBM_TDB	2002/02/22
-	131	(((unidirection\$5 or uni adj2 direction\$5) with (point	USPAT;	2003/09/23
		adj2 point)) and (onchip\$5 or chip\$5 or intrachip\$5))	US-PGPUB;	12:57
		and (@ad<20010430 or @prad<20010430 or	EPO; JPO;	
ļ		@rlad<20010430 or @pd<20010430 or	DERWENT;	
1		@pt1d<20010430)	IBM_TDB	1

-	141	((unidirection\$5 or uni adj2 direction\$5) with (point	USPAT;	2003/09/23
		adj2 point)) and (onchip\$5 or chip\$5 or intrachip\$5)	US-PGPUB;	09:09
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	131	(((unidirection\$5 or uni adj2 direction\$5) with (point	USPAT;	2003/09/23
		adj2 point)) and (onchip\$5 or chip\$5 or intrachip\$5))	US-PGPUB;	10:01
		and (@ad<20010430 or @prad<20010430 or	EPO; JPO;	
		@rlad<20010430 or @pd<20010430 or	DERWENT;	
		@pt1d<20010430)	IBM_TDB	
-	213	((unidirection\$5 or uni adj2 direction\$5) with (point	USPAT;	2003/09/23
		adj2 point)) and (arbiter\$1 or arbitrat\$5 or	US-PGPUB;	12:57
		priorit\$7)	EPO; JPO;	
			DERWENT;	!
			IBM_TDB	;
-	12	(US-5859550-\$ or US-5909594-\$ or US-5991824-\$	USPAT;	2003/09/23
		or US-6415424-\$ or US-6282195-\$ or	US-PGPUB;	09:54
		US-6353867-\$ or US-6145039-\$ or	DERWENT	
		US-6584101-\$).did. or (US-20020118041-\$ or		
]	US-20020120878-\$ or US-20020126693-\$).did. or		
		(US-6256693-\$).did.		
-	108	(((unidirection\$5 or uni adj2 direction\$5) with (point	USPAT;	2003/09/23
		adj2 point)) and (arbiter\$1 or arbitrat\$5 or	US-PGPUB;	10:01
		priorit\$7)) not ((((unidirection\$5 or uni adj2	EPO; JPO;	
		direction\$5) with (point adj2 point)) and (onchip\$5 or	DERWENT:	
		chip\$5 or intrachip\$5)) and (@ad<20010430 or	IBM_TDB	
	-	@prad<20010430 or @rlad<20010430 or		
		@pd<20010430 or @pt1d<20010430))		
-	91	((((unidirection\$5 or uni adj2 direction\$5) with (point	USPAT;	2003/09/23
		adj2 point)) and (arbiter\$1 or arbitrat\$5 or	US-PGPUB;	12:55
		priorit\$7)) not ((((unidirection\$5 or uni adj2	EPO; JPO;	
		direction\$5) with (point adj2 point)) and (onchip\$5 or	DERWENT;	
		chip\$5 or intrachip\$5)) and (@ad<20010430 or	IBM_TDB	
	·	@prad<20010430 or @rlad<20010430 or		
		@pd<20010430 or @pt1d<20010430))) and		
		(@ad<20010430 or @prad<20010430 or		
		@rlad<20010430 or @pd<20010430 or		
		@pt1d<20010430)		
-	79	((((unidirection\$5 or uni adj2 direction\$5) with (point	USPAT;	2003/09/23
		adj2 point)) and (arbiter\$1 or arbitrat\$5 or	US-PGPUB;	12:55
		priorit\$7)) not ((((unidirection\$5 or uni adj2	EPO; JPO;	
		direction\$5) with (point adj2 point)) and (onchip\$5 or	DERWENT;	
		chip\$5 or intrachip\$5)) and (@ad<20010430 or	IBW_TDB	
		@prad<20010430 or @rlad<20010430 or		
		@pd<20010430 or @pt1d<20010430))) and packet\$7		
-	65	(((((unidirection\$5 or uni adj2 direction\$5) with (point	USPAT;	2003/09/23
		adj2 point)) and (arbiter\$1 or arbitrat\$5 or	US-PGPUB;	12:56
		priorit\$7)) not ((((unidirection\$5 or uni adj2	EPO; JPO;	
		direction\$5) with (point adj2 point)) and (onchip\$5 or	DERWENT;	
		chip\$5 or intrachip\$5)) and (@ad<20010430 or	IBW_TDB	-
		@prad<20010430 or @rlad<20010430 or		
		@pd<20010430 or @pt1d<20010430))) and packet\$7)		
		and (@ad<20010430 or @prad<20010430 or		
		@rlad<20010430 or @pd<20010430 or		
		@pt1d<20010430)	<u></u>	

-	0	((((((unidirection\$5 or uni adj2 direction\$5) with	USPAT;	2003/09/23
		(point adj2 point)) and (arbiter\$1 or arbitrat\$5 or	US-PGPUB;	12:56
		priorit\$7)) not ((((unidirection\$5 or uni adj2	EPO; JPO;	
		direction\$5) with (point adj2 point)) and (onchip\$5 or	DERWENT;	
	s.	chip\$5 or intrachip\$5)) and (@ad<20010430 or	IBM_TDB	
		@prad<20010430 or @rlad<20010430 or	15111_100	
		@pd<20010430 or @pt1d<20010430))) and packet\$7)		
		and (@ad<20010430 or @prad<20010430 or		
		@rlad<20010430 or @pd<20010430 or		
		@pt1d<20010430)) not ((((unidirection\$5 or uni adj2		
		direction\$5) with (point adj2 point)) and (onchip\$5 or		
		• • • • • • • • • • • • • • • • • • • •		
		chip\$5 or intrachip\$5)) and (@ad<20010430 or		
		@prad<20010430 or @rlad<20010430 or		
		@pd<20010430 or @pt1d<20010430)) or		
		(((((unidirection\$5 or uni adj2 direction\$5) with (point		
		adj2 point)) and (arbiter\$1 or arbitrat\$5 or		
		priorit\$7)) not ((((unidirection\$5 or uni adj2		
		direction\$5) with (point adj2 point)) and (onchip\$5 or		
		chip\$5 or intrachip\$5)) and (@ad<20010430 or		
		@prad<20010430 or @rlad<20010430 or		
		@pd<20010430 or @pt1d<20010430))) and		
		(@ad<20010430 or @prad<20010430 or		
		@rlad<20010430 or @pd<20010430 or		
		@pt1d<20010430)))		
-	232	((unidirection\$5 or uni adj2 direction\$5) with (point	USPAT;	2003/09/23
		adj2 point)) and packet\$7	US-PGPUB;	12:57
ĺ			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	213	(((unidirection\$5 or uni adj2 direction\$5) with (point	USPAT;	2003/09/24
		adj2 point)) and packet\$7) and (@ad<20010430 or	US-PGPUB;	07:47
		@prad<20010430 or @rlad<20010430 or	EPO; JPO;	
		@pd<20010430 or @pt1d<20010430)	DERWENT;	
			IBW_TDB	
-	51	((((unidirection\$5 or uni adj2 direction\$5) with (point	USPAT;	2003/09/24
		adj2 point)) and packet\$7) and (@ad<20010430 or	US-PGPUB;	07:46
		@prad<20010430 or @rlad<20010430 or	EPO; JPO;	
		@pd<20010430 or @pt1d<20010430)) not	DERWENT;	
		(((((unidirection\$5 or uni adj2 direction\$5) with (point	IBW_TDB	
		adj2 point)) and (onchip\$5 or chip\$5 or intrachip\$5))		
		and (@ad<20010430 or @prad<20010430 or		
		@rlad<20010430 or @pd<20010430 or		
		@pt1d<20010430)) or (((((unidirection\$5 or uni adj2		
		direction\$5) with (point adj2 point)) and (arbiter\$1 or		
		arbitrat\$5 or priorit\$7)) not ((((unidirection\$5 or uni		
		adj2 direction\$5) with (point adj2 point)) and		
		(onchip\$5 or chip\$5 or intrachip\$5)) and		
		(@ad<20010430 or @prad<20010430 or		
		@rlad<20010430 or @pd<20010430 or		
		@pt1d<20010430))) and (@ad<20010430 or		
		@prad<20010430 or @rlad<20010430 or		
		@pd<20010430 or @pt1d<20010430)))		

	427	(unidirection\$5 or uni adj2 direction\$5) with (point	USPAT;	2003/09/24
-	42/	1 '	US-PGPUB;	07:46
		adj2 point)		07:46
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	56	((unidirection\$5 or uni adj2 direction\$5) with (point	USPAT;	2003/09/24
		adj2 point)) same (request\$2 or req\$2)	US-PGPUB;	07:47
			EPO; JPO;	
			DERWENT;	
			IBW_TDB	
-	53	(((unidirection\$5 or uni adj2 direction\$5) with (point	USPAT;	2003/09/24
	}	adj2 point)) same (request\$2 or req\$2)) and	US-PGPUB;	08:54
		(@ad<20010430 or @prad<20010430 or	EPO; JPO;	
		@rlad<20010430 or @pd<20010430 or	DERWENT;	
		@p+1d<20010430)	IBW_TDB	
-	65	fixed same (roundrobin or round adj robin or rotating	USPAT;	2003/09/24
		or revolving) same (timeslic\$3 or timeslot\$5 or slic\$3	US-PGPUB;	08:53
		or slot\$5) same (priorit\$7 or arbiter\$1 or	EPO; JPO;	
		arbitrat\$3)	DERWENT;	
			IBM_TDB	
-	62	(fixed same (roundrobin or round adj robin or rotating	USPAT;	2003/09/24
		or revolving) same (timeslic\$3 or timeslot\$5 or slic\$3	US-PGPUB;	09:34
		or slot\$5) same (priorit\$7 or arbiter\$1 or	EPO; JPO;	
		arbitrat\$3)) and (@ad<20010430 or @prad<20010430	DERWENT;	
		or @rlad<20010430 or @pd<20010430 or	IBM_TDB	
		@pt1d<20010430)		
_	11155	(equal or "same") near6 priorit\$7	USPAT;	2003/09/24
			US-PGPUB,	09:33
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	382	((equal or "same") near6 priorit\$7) with (rotating or	USPAT;	2003/09/24
		roundrobin or round adj robin or revolving)	US-PGPUB;	09:34
		Todaldi obili or Todald dag Fobili or Tevolving)	EPO; JPO;	07.51
			DERWENT;	
1	<u> </u>		IBM_TDB	
_	73	(((equal or "same") near6 priorit\$7) with (rotating or	USPAT;	2003/09/24
	,3	roundrobin or round adj robin or revolving)) same	US-PGPUB;	09:34
		(fixed or static\$4)	EPO; JPO;	03.37
		(Times of Staticy T)	DERWENT;	
			IBM_TDB	
	69	((((equal or "same") near6 priorit\$7) with (rotating or	USPAT;	2003/09/24
_	09	roundrobin or round adj robin or revolving)) same		14:23
		(fixed or static\$4)) and (@ad<20010430 or	US-PGPUB;	14.23
			EPO; JPO;	
		@prad<20010430 or @rlad<20010430 or	DERWENT;	
_	24	@pd<20010430 or @pt1d<20010430)	IBM_TDB	2002/00/24
-	[24	(((((equal or "same") near6 priorit\$7) with (rotating or	USPAT;	2003/09/24
		roundrobin or round adj robin or revolving)) same	US-PGPUB;	14:21
	.	(fixed or static\$4)) and (@ad<20010430 or	EPO; JPO;	
		@prad<20010430 or @rlad<20010430 or	DERWENT;	
	<u> </u>	@pd<20010430 or @pt1d<20010430)) and (370.clas.	IBW_TDB	
	<u></u>	or 710.clas.)		1

4	•
4	
•	

-	3693	(timeslot\$5 or slot\$5 or timeslic\$3 or slic\$3) with	USPAT;	2003/09/24
}		(arbiter\$1 or arbitrat\$3 or priorit\$7)	US-PGPUB;	14:23
			EPO; JPO;	
			DERWENT;	1
			IBM_TDB	•
_	526	((timeslot\$5 or slot\$5 or timeslic\$3 or slic\$3) with	USPAT;	2003/09/24
		(arbiter\$1 or arbitrat\$3 or priorit\$7)) and 710.clas.	US-PGPUB;	14:41
			EPO; JPO;	
			DERWENT:	
	350	//// 1 Am 1 Am 1 1 Am 1 Am 1 Am 1 Am 1 A	IBM_TDB	2002/00/24
-	352	(((timeslot\$5 or slot\$5 or timeslic\$3 or slic\$3) with	USPAT;	2003/09/24
		(arbiter\$1 or arbitrat\$3 or priorit\$7)) and 710.clas.)	US-PGPUB;	14:42
		and (timer\$1 or counter\$1)	EPO; JPO;	
			DERWENT;	
			IBW_TDB	
-	342	((((timeslot\$5 or slot\$5 or timeslic\$3 or slic\$3) with	USPAT;	2003/09/24
		(arbiter\$1 or arbitrat\$3 or priorit\$7)) and 710.clas.)	US-PGPUB;	14:42
		and (timer\$1 or counter\$1)) and (@ad<20010430 or	EPO; JPO;	
		@prad<20010430 or @rlad<20010430 or	DERWENT;	
		@pd<20010430 or @pt1d<20010430)	IBM_TDB	
<u> </u>	459801	(timeslot\$5 or slot\$5 or timeslic\$3 or slic\$3).ab.	USPAT;	2003/09/24
-	439001	(Timesioty) of Sioty) of Timesincy's of Sincys), ab.	US-PGPUB;	14:42
			1	14:42
	ļ		EPO; JPO;	
			DERWENT;	
			IBW_TDB	
-	68	(((((timeslot\$5 or slot\$5 or timeslic\$3 or slic\$3) with	USPAT;	2003/09/24
		(arbiter\$1 or arbitrat\$3 or priorit\$7)) and 710,clas.)	US-PGPUB;	14:24
		and (timer\$1 or counter\$1)) and (@ad<20010430 or	EPO; JPO;	
		@prad<20010430 or @rlad<20010430 or	DERWENT;	
	-	@pd<20010430 or @pt1d<20010430)) and	IBM_TDB	
		((timeslot\$5 or slot\$5 or timeslic\$3 or slic\$3).ab.)	_	
-	1326	((timeslot\$5 or slot\$5 or timeslic\$3 or slic\$3) with	USPAT;	2003/09/24
		(arbiter\$1 or arbitrat\$3 or priorit\$7)) and 370.clas.	US-PGPUB;	14:41
	ļ		EPO; JPO;	
			DERWENT;	
1	[
		///Aim-al-Aff am al-Aff a Attack Aft	IBM_TDB	2002/00/24
-	771	(((timeslot\$5 or slot\$5 or timeslic\$3 or slic\$3) with	USPAT;	2003/09/24
		(arbiter\$1 or arbitrat\$3 or priorit\$7)) and 370.clas.)	US-PGPUB;	14:42
		and (timer\$1 or counter\$1)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	299	((((timeslot\$5 or slot\$5 or timeslic\$3 or slic\$3) with	USPAT;	2003/09/24
		(arbiter\$1 or arbitrat\$3 or priorit\$7)) and 370.clas.)	US-PGPUB;	14:42
	1	and (timer\$1 or counter\$1)) and ((timeslot\$5 or	EPO; JPO;	
		slot\$5 or timeslic\$3 or slic\$3).ab.)	DERWENT;	
		, , , , , , , , , , , , , , , , , , , ,	IBM_TDB	
-	286	(((((timeslot\$5 or slot\$5 or timeslic\$3 or slic\$3) with	USPAT;	2003/09/24
	200	(arbiter\$1 or arbitrat\$3 or priorit\$7)) and 370.clas.)	US-PGPUB;	14:42
		and (timer\$1 or counter\$1)) and ((timeslot\$5 or	EPO; JPO;	
1			7	
		slot\$5 or timeslic\$3 or slic\$3).ab.)) and	DERWENT;	
1		(@ad<20010430 or @prad<20010430 or	IBW_TDB	
		@rlad<20010430 or @pd<20010430 or		
		@pt1d<20010430)	<u>l. </u>	